

ATTB 6 PE**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**Current and voltage transformer wiring**

Our test disconnect terminal blocks featuring spring and screw connection technology allow you to create all the important converter circuits for measuring current, voltage and power in a safe and sophisticated way.

General ordering data

Version	PE terminal, PUSH IN, 6 mm ² , Green/yellow
Order No.	2710080000
Type	ATTB 6 PE
GTIN (EAN)	4050118808100
Qty.	50 pc(s).

ATTB 6 PE

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Dimensions and weights

Depth	68 mm	Depth (inches)	2.677 inch
Height	100 mm	Height (inches)	3.937 inch
Width	8.1 mm	Width (inches)	0.319 inch
Net weight	30.346 g		

Temperatures

Storage temperature	-25 °C...55 °C	Continuous operating temp., min.	-60 °C
Continuous operating temp., max.	130 °C		

Material data

Material	Wemid	Colour	Green/yellow
Colour of operational elements	orange	UL 94 flammability rating	V-0

System specifications

End cover plate required	Yes	Number of potentials	1
Number of levels	1	Number of clamping points per level	2
Number of potentials per tier	1	Rail	TS 35
N-function	No	PE function	Yes
PEN function	No		

Additional technical data

Open sides	right	Snap-on	Yes
Type of mounting	Snap-on		

CSA rating data

Certificate No. (CSA)	200039-80099474	Wire cross section max. (CSA)	8 AWG
Wire cross section min. (CSA)	22 AWG		

Conductors for clamping (rated connection)

Blade size	0.8 x 4.0 mm	Clamping range, max.	10 mm ²
Clamping range, min.	0.5 mm ²	Connection cross-section, stranded, max.	6 mm ²
Connection cross-section, stranded, min.	0.5 mm ²	Connection direction	top
Gauge to IEC 60947-1	A5	Number of connections	2
Stripping length	12 mm	Type of connection	PUSH IN
Wire connection cross section AWG, max.	AWG 8	Wire connection cross section AWG, min.	AWG 22
Wire connection cross section, finely stranded, max.	10 mm ²	Wire connection cross section, finely stranded, min.	0.5 mm ²
Wire connection cross-section, finely stranded with wire-end ferrules DIN 46228/1, max.	10 mm ²	Wire connection cross-section, finely stranded with wire-end ferrules DIN 46228/1, min.	0.5 mm ²
Wire connection cross-section, finely stranded with wire-end ferrules DIN 46228/4, max.	6 mm ²	Wire connection cross-section, finely stranded with wire-end ferrules DIN 46228/4, min.	0.5 mm ²
Wire connection cross-section, solid core, max.	6 mm ²	Wire connection cross-section, solid core, min.	0.5 mm ²

ATTB 6 PE

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

General

Rail	TS 35	Standards	IEC 60947-7-2
Wire connection cross section AWG, max.	AWG 8	Wire connection cross section AWG, min.	AWG 22

Rating data

Rated cross-section	6 mm ²	Rated voltage to adjoining terminal	500 V
Standards	IEC 60947-7-2	Volume resistance according to IEC 60947-7-x	0.78 mΩ
Pollution severity	3	Surge voltage category	III

UL rating data

Certificate No. (cURus)	E60693	Conductor size Factory wiring max. (cURus)	8 AWG
Conductor size Factory wiring min. (cURus)	22 AWG	Conductor size Field wiring max. (cURus)	8 AWG
Conductor size Field wiring min. (cURus)	22 AWG		

Classifications

ETIM 6.0	EC000901	ETIM 7.0	EC000901
ETIM 8.0	EC000901	ECLASS 9.0	27-14-11-41
ECLASS 9.1	27-14-11-41	ECLASS 10.0	27-14-11-41
ECLASS 11.0	27-14-11-41	ECLASS 12.0	27-14-11-41

Approvals

Approvals



ROHS	Conform
UL File Number Search	UL Website
Certificate No. (cURus)	E60693

Downloads



Approval/Certificate/Document of Conformity	DNVGL certificate CB Testreport CB Testreport CB Certificate
Engineering Data	CAD data – STEP
User Documentation	BPZL HTTP/ATTB 6
Catalogues	Catalogues in PDF-format

ATTB 6 PE

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings



ATTB 6 PE

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26


D-32758 Detmold

Germany

www.weidmueller.com

Accessories

Switch lock



The switch lock can be easily inserted into the terminal from above. The switch lock prevents unauthorised opening or closing of circuits as it blocks the disconnect lever in its respective position.

General ordering data

Type	SL TTB 6
Order No.	2710220000
GTIN (EAN)	4050118893311
Qty.	50 pc(s).

6 mm²

The plug-in cross-connections feature easy handling and quick installation. This saves a great deal of time during installation in comparison with screwed solutions.

General ordering data

Type	ZQV 6N/6
Order No.	2733950000
GTIN (EAN)	4064675066699
Qty.	20 pc(s).
Type	ZQV 6N/4
Order No.	1985780000
GTIN (EAN)	4050118370287
Qty.	60 pc(s).
Type	ZQV 6N/4 BL
Order No.	1985850000
GTIN (EAN)	4050118370447
Qty.	60 pc(s).
Type	ZQV 6N/2 BL
Order No.	1985830000
GTIN (EAN)	4050118370232
Qty.	60 pc(s).
Type	ZQV 6N/3
Order No.	1985760000
GTIN (EAN)	4050118370263
Qty.	60 pc(s).

ATTB 6 PE

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

Type	ZQV 6N/7 BL
Order No.	2786900000
GTIN (EAN)	4064675064596
Qty.	20 pc(s).
Type	ZQV 6N/10
Order No.	2733970000
GTIN (EAN)	4064675066811
Qty.	20 pc(s).
Type	ZQV 6N/10 BL
Order No.	2786910000
GTIN (EAN)	4064675064602
Qty.	20 pc(s).
Type	ZQV 6N/2
Order No.	1985740000
GTIN (EAN)	4050118370362
Qty.	60 pc(s).
Type	ZQV 6N/3 BL
Order No.	1985840000
GTIN (EAN)	4050118370379
Qty.	60 pc(s).
Type	ZQV 6N/6 BL
Order No.	2786890000
GTIN (EAN)	4064675064572
Qty.	20 pc(s).
Type	ZQV 6N/7
Order No.	2733960000
GTIN (EAN)	4064675066804
Qty.	20 pc(s).

A-Series



Weidmüller's range of products includes end brackets that guarantee a permanent, reliable mounting on the terminal rail and prevent sliding. Versions with and without screws are available. The end brackets include marking options, also for group markers, and also a test plug holder.

General ordering data

Type	AEB 35 SCL/1 V0 BK	Version
Order No.	2661300000	A-series, End bracket
GTIN (EAN)	4050118702187	
Qty.	20 pc(s).	
Type	AEB 35 SCL/1 V0 GY	Version
Order No.	2661290000	A-series, End bracket
GTIN (EAN)	4050118702170	
Qty.	20 pc(s).	

ATTB 6 PE

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

Type	AEB 35 SCL/1 V0	Version
Order No.	2661280000	A-series, End bracket
GTIN (EAN)	4050118702163	
Qty.	20 pc(s).	

Shorting elements



The short circuit bridge can be simply and quickly inserted into the terminal blocks. If several levers are connected simultaneously with the lever connector, the make before break can be realised. Once mounted, the short circuit bridge cannot be removed from the application.

General ordering data

Type	SCCB TTB 6/3
Order No.	2710200000
GTIN (EAN)	4050118847994
Qty.	25 pc(s).

Type	SCCB TTB 6/4
Order No.	2710210000
GTIN (EAN)	4050118848007
Qty.	25 pc(s).

Type	SCCB TTB 6/2
Order No.	2710190000
GTIN (EAN)	4050118847987
Qty.	25 pc(s).

Test sockets



The test socket is used to connect test devices with a standard 4.0 plug with widths up to 10 mm into the terminal. Test sockets are arranged at an angle, therefore all standard measurements (even adjoining) can be realised within the terminal width of 8.1 mm. Once mounted, the test socket cannot be removed from the application.

General ordering data

Type	TS TTB 6 GN
Order No.	2710490000
GTIN (EAN)	4050118880953
Qty.	48 pc(s).

Type	TS TTB 6 RD
Order No.	2710510000
GTIN (EAN)	4050118881073
Qty.	48 pc(s).

ATTB 6 PE

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

Type TS TTB 6 BR
 Order No. [2715540000](#)
 GTIN (EAN) 4050118769609
 Qty. 48 pc(s).

Type TS TTB 6 BK
 Order No. [2710520000](#)
 GTIN (EAN) 4050118881080
 Qty. 48 pc(s).

Type TS TTB 6 OR
 Order No. [2710470000](#)
 GTIN (EAN) 4050118880649
 Qty. 48 pc(s).

Type TS TTB 6 WT
 Order No. [2817250000](#)
 GTIN (EAN) 4064675322566
 Qty. 1 pc(s).

Type TS TTB 6 YL
 Order No. [2710500000](#)
 GTIN (EAN) 4050118881066
 Qty. 48 pc(s).

Type TS TTB 6 VT
 Order No. [2710530000](#)
 GTIN (EAN) 4050118881097
 Qty. 48 pc(s).

Type TS TTB 6 BL
 Order No. [2710480000](#)
 GTIN (EAN) 4050118880656
 Qty. 48 pc(s).

End plate



Current and voltage transformer wiring

Our test disconnect terminal blocks featuring spring and screw connection technology allow you to create all the important converter circuits for measuring current, voltage and power in a safe and sophisticated way.

General ordering data

Type	EP TTB 6	Version
Order No.	2710170000	A-series, End plate
GTIN (EAN)	4050118822229	
Qty.	20 pc(s).	

ATTB 6 PE

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

DEK 5/8

**WS/ DEK**

MultiMark terminal markers use an innovative composite material made from two components. The hard base contour of the marker snaps securely into the connector. The elastic surface finish makes the marker easy to mount. This specially punched material enables the strips to be stretched to accommodate the slight variations in spacing that tend to add up, especially with long terminal blocks. Another advantage: the excellent printability of the surface material guarantees durable and wear-resistant labelling. A print resolution of 300 dpi also produces a very legible script.

Your benefits with MultiMark

- Firm hold and durable printing
- Continuous strips save installation time
- Easy mounting thanks to an innovative composite material
- Large label field for optimal legibility
- High flexibility thanks to manufacturer independence

General ordering data

Type	DEK-A 5/8 MM WS	Version
Order No.	2448860000	Dekafix, Terminal marker, 5 x 8.1 mm, Weidmueller, white
GTIN (EAN)	4050118462968	
Qty.	500 pc(s).	

ATTB 6 PE

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

Blank



The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.


- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

Type	DEK 5/8-11.5 MC NE WS	Version
Order No.	1341630000	Dekafix, Terminal marker, 5 x 8 mm, Pitch in mm (P): 8.00
GTIN (EAN)	4050118145946	Weidmueller, white
Qty.	500 pc(s).	

Cover profiles



Current and voltage transformer wiring

Our test disconnect terminal blocks featuring spring and screw connection technology allow you to create all the important converter circuits for measuring current, voltage and power in a safe and sophisticated way.

General ordering data

Type	CH TTB	
Order No.	2710130000	
GTIN (EAN)	4064675021155	
Qty.	1 pc(s).	
Type	CP TTB	
Order No.	2710140000	
GTIN (EAN)	4064675014171	
Qty.	10 pc(s).	
Type	CS TTB	Version
Order No.	2710150000	A-series, End bracket
GTIN (EAN)	4064675021148	
Qty.	10 pc(s).	

ATTB 6 PE

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

Lever Link



Current and voltage transformer wiring

Our test disconnect terminal blocks featuring spring and screw connection technology allow you to create all the important converter circuits for measuring current, voltage and power in a safe and sophisticated way.

General ordering data

Type LL TTB 6/2 BR
Order No. [2762600000](#)
GTIN (EAN) 4064675018384
Qty. 50 pc(s).

Type LL TTB 6/2 CM BR
Order No. [2762610000](#)
GTIN (EAN) 4064675018391
Qty. 50 pc(s).

Type LL TTB 6/2 YL
Order No. [2710330000](#)
GTIN (EAN) 4050118848311
Qty. 50 pc(s).

Type LL TTB 6/1 VT
Order No. [2710290000](#)
GTIN (EAN) 4050118847970
Qty. 50 pc(s).

Type LL TTB 6/2 BK
Order No. [2710350000](#)
GTIN (EAN) 4050118848274
Qty. 50 pc(s).

Type LL TTB 6/1 BK
Order No. [2710280000](#)
GTIN (EAN) 4050118847963
Qty. 50 pc(s).

Type LL TTB 6/1 BL
Order No. [2710240000](#)
GTIN (EAN) 4050118847918
Qty. 50 pc(s).

Type LL TTB 6/1 GN
Order No. [2710250000](#)
GTIN (EAN) 4050118847949
Qty. 50 pc(s).

Type LL TTB 6/1 BR
Order No. [2762590000](#)
GTIN (EAN) 4064675018377
Qty. 50 pc(s).

Type LL TTB 6/3
Order No. [2710440000](#)
GTIN (EAN) 4050118848236
Qty. 50 pc(s).

ATTB 6 PE

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

Type LL TTB 6/2 VT
 Order No. [2710360000](#)
 GTIN (EAN) 4050118848267
 Qty. 50 pc(s).

Type LL TTB 6/2 CM GN
 Order No. [2710390000](#)
 GTIN (EAN) 4064675012610
 Qty. 50 pc(s).

Type LL TTB 6/1 WT
 Order No. [2817220000](#)
 GTIN (EAN) 4064675322535
 Qty. 50 pc(s).

Type LL TTB 6/2 WT
 Order No. [2817230000](#)
 GTIN (EAN) 4064675322542
 Qty. 50 pc(s).

Type LL TTB 6/2 CM RD
 Order No. [2710410000](#)
 GTIN (EAN) 4064675012634
 Qty. 50 pc(s).

Type LL TTB 6/2 CM BK
 Order No. [2710420000](#)
 GTIN (EAN) 4064675012641
 Qty. 50 pc(s).

Type LL TTB 6/2 CM
 Order No. [2710370000](#)
 GTIN (EAN) 4064675012092
 Qty. 50 pc(s).

Type LL TTB 6/1 YL
 Order No. [2710260000](#)
 GTIN (EAN) 4050118893335
 Qty. 50 pc(s).

Type LL TTB 6/2 CM WT
 Order No. [2817240000](#)
 GTIN (EAN) 4064675322559
 Qty. 50 pc(s).

Type LL TTB 6/2 CM YL
 Order No. [2710400000](#)
 GTIN (EAN) 4064675012627
 Qty. 50 pc(s).

Type LL TTB 6/2 BL
 Order No. [2710310000](#)
 GTIN (EAN) 4050118848250
 Qty. 50 pc(s).

Type LL TTB 6/1
 Order No. [2710230000](#)
 GTIN (EAN) 4050118847925
 Qty. 50 pc(s).

Type LL TTB 6/3 CM
 Order No. [2726100000](#)
 GTIN (EAN) 4064675012665
 Qty. 50 pc(s).

ATTB 6 PE

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Accessories

Type	LL TTB 6/6
Order No.	2710460000
GTIN (EAN)	4050118848212
Qty.	10 pc(s).

Type	LL TTB 6/2 CM BL
Order No.	2710380000
GTIN (EAN)	4064675012603
Qty.	50 pc(s).

Type	LL TTB 6/4
Order No.	2710450000
GTIN (EAN)	4050118848229
Qty.	25 pc(s).

Type	LL TTB 6/2 GN
Order No.	2710320000
GTIN (EAN)	4050118848328
Qty.	50 pc(s).

Type	LL TTB 6/2 RD
Order No.	2710340000
GTIN (EAN)	4050118848281
Qty.	50 pc(s).

Type	LL TTB 6/2
Order No.	2710300000
GTIN (EAN)	4050118848243
Qty.	50 pc(s).

Type	LL TTB 6/2 CM VT
Order No.	2710430000
GTIN (EAN)	4064675012658
Qty.	50 pc(s).

Type	LL TTB 6/4 CM
Order No.	2726110000
GTIN (EAN)	4064675012672
Qty.	50 pc(s).

Type	LL TTB 6/1 RD
Order No.	2710270000
GTIN (EAN)	4050118847956
Qty.	50 pc(s).