

**TW TXS/TXZ R3.2****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Product image****Versatile separation plates**

Separation plates can be used to group together signals visually, to electrically isolate modules and to insert markings for a better overview. This makes them a particularly versatile accessory. Separation plates increase the clearance and creepage distances between two modules, thus increasing the rated insulation voltage between two modules to up to 600 V. Double separation plates can be marked with WAD5 or WS10/5 markers and enable continuous cross-connections. Installation is made easier with the perforations to individually break out the cross-connection channels.

- Partition plates visually separates groups from each other
- Indentations for individual breaking out the crossconnection channels
- Partition plates isolates between two modules by increasing the clearance and creepage distances of up to 600 V

**General ordering data**

|            |                             |
|------------|-----------------------------|
| Version    | TERMSERIES, Partition plate |
| Order No.  | <a href="#">1240800000</a>  |
| Type       | TW TXS/TXZ R3.2             |
| GTIN (EAN) | 4050118028188               |
| Qty.       | 10 pc(s).                   |

## TW TXS/TXZ R3.2

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Technical data

## Dimensions and weights

|            |         |                 |            |
|------------|---------|-----------------|------------|
| Depth      | 83.3 mm | Depth (inches)  | 3.28 inch  |
| Height     | 98.8 mm | Height (inches) | 3.89 inch  |
| Width      | 3.2 mm  | Width (inches)  | 0.126 inch |
| Net weight | 10.9 g  |                 |            |

## General data

|                                    |                          |         |  |
|------------------------------------|--------------------------|---------|--|
| Rail                               | TS 35                    |         |  |
| Colour                             | red                      |         |  |
| UL94 flammability rating component | Component                | Housing |  |
|                                    | UL94 flammability rating | V-0     |  |

## Classifications

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC002586    | ETIM 7.0    | EC002586    |
| ETIM 8.0    | EC002586    | ECLASS 9.1  | 27-37-16-92 |
| ECLASS 10.0 | 27-37-16-92 | ECLASS 11.0 | 27-37-16-92 |
| ECLASS 12.0 | 27-37-16-92 |             |             |

## Approvals

|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

## Downloads

|                    |                                                               |
|--------------------|---------------------------------------------------------------|
| Engineering Data   | <a href="#">CAD data – STEP</a>                               |
| Engineering Data   | <a href="#">WSCAD</a>                                         |
| User Documentation | <a href="#">Beipackzettel / Package Insert – multilingual</a> |
| Catalogues         | <a href="#">Catalogues in PDF-format</a>                      |
| Brochures          |                                                               |


## TW TXS/TXZ R3.2

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Drawings

### Dimensional drawing



### Example of use



If two partition walls are used, markers can be attached

### Example of use



If two partition walls are used, markers can be attached

## TW TXS/TXZ R3.2

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold


Germany

www.weidmueller.com

## Drawings

## Miscellaneous

## Type code TERMSERIES accessories



Type codes